

Refine Search

Search Results -

Terms	Documents
L18 and L1	4

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19 ▲▼

Search History

DATE: Friday, August 12, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR			
<u>L19</u>	L18 and l1	4	<u>L19</u>
<u>L18</u>	l16 or l17 or l15 or l14	60	<u>L18</u>
<u>L17</u>	(4979126 3424464 2041119)! [PN] (JP407160713A '5175797 '20030229595 '20040102958	12	<u>L17</u>
<u>L16</u>	'JP02002259432A '5131657 '20020013741 'EP001176534A1 'EP 1176534A') [PN] (JP407160713A '20010014868 '5175797 '20030229595 '20040102958	10	<u>L16</u>
<u>L15</u>	'JP02002259432A '5131657 '20020013741 'EP001176534A1 'EP 1176534A') [URPN]	31	<u>L15</u>
<u>L14</u>	L13 or l12 or l11 or l10 or l6 or l3	13	<u>L14</u>
<u>L13</u>	database\$ same ((level or degree) with conform\$ with (dictiona\$ or text\$))	3	<u>L13</u>
<u>L12</u>	catalog\$ and (degree\$ with (mak\$ with similar\$ with text\$))	2	<u>L12</u>

<u>L11</u>	L9 and licens\$	2	<u>L11</u>
<u>L10</u>	L9 and catalog\$	3	<u>L10</u>
<u>L9</u>	L8 or l7	147	<u>L9</u>
<u>L8</u>	(degree\$ with (conform\$ with text\$))	88	<u>L8</u>
<u>L7</u>	(level\$ with (conform\$ with text\$))	60	<u>L7</u>
<u>L6</u>	l1 not L2	1	<u>L6</u>
<u>L5</u>	24	6450215	<u>L5</u>
<u>L4</u>	l1 not L3	0	<u>L4</u>
<u>L3</u>	L1	4	<u>L3</u>
<u>L2</u>	L1 and catalog\$	3	<u>L2</u>
<u>L1</u>	(level\$ with (conform\$ with dictionar\$))	4	<u>L1</u>

END OF SEARCH HISTORY

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L19: Entry 2 of 4

File: JPAB

Jun 23, 1995

PUB-NO: JP407160713A

DOCUMENT-IDENTIFIER: JP 07160713 A

TITLE: DOCUMENT CONVERTER

PUBN-DATE: June 23, 1995

INVENTOR-INFORMATION:

NAME

COUNTRY

TEIMOSHII, KOONITSUSHIYU

NUMATA, NAOMI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

MATSUSHITA ELECTRIC IND CO LTD

APPL-NO: JP05312104

APPL-DATE: December 13, 1993

INT-CL (IPC): G06 F 17/27; G06 F 17/21; G06 F 17/28

ABSTRACT:

PURPOSE: To operate the style of an English document to improve the quality of the English document by standardizing or converting the English document to German or Romance expression.

CONSTITUTION: When a user designates the manner of German expression or Romance expression by a document level designating part 13 for designation of the style of the document, an expression dictionary 12 is used to retrieve the English document, which is stored in a document memory 11, by a document level retrieval part 14, and parts not conforming to the manner of expression designated by the user are converted by an expression conversion part 15.

COPYRIGHT: (C)1995,JPO

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L19: Entry 3 of 4

File: EPAB

Jan 30, 2002

PUB-NO: EP001176534A1

DOCUMENT-IDENTIFIER: EP 1176534 A1

TITLE: Method and apparatus for accepting and processing an application for conformity of a user dictionary to a standard dictionary

PUBN-DATE: January 30, 2002

INVENTOR-INFORMATION:

NAME

COUNTRY

ITO, SATOSHI

JP

ASSIGNEE-INFORMATION:

NAME

COUNTRY

TOKYO SHIBAURA ELECTRIC CO

JP

APPL-NO: EP01306363

APPL-DATE: July 25, 2001

PRIORITY-DATA: JP2000224257A (July 25, 2000)

INT-CL (IPC): G06 F 17/60

EUR-CL (EPC): G06Q010/00

ABSTRACT:

CHG DATE=20020302 STATUS=O> There is disclosed an electronic catalog system in which application data concerning use is received from a user who desires to utilize electronic catalog information using a standard dictionary (3), internal utilization or opening to the outside of the standard supplier by the user is judged, and for the internal utilization, the standard dictionary (3) and a program (6) for verifying a conformity level are distributed free of charge. If the user desires the opening to the outside including an information providing service, a charged amount is transmitted to the user from charging level data based on the application data, a supplier code is issued after agreement with the user, and the standard dictionary (3) is transmitted together with the program (6) for verifying

the desired conformity level.[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)**End of Result Set**☐ [Generate Collection](#) [Print](#)

L19: Entry 4 of 4

File: DWPI

Apr 28, 2004

DERWENT-ACC-NO: 2002-173157

DERWENT-WEEK: 200455

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Application processing method for electronic catalog system, involves determining charge and license limits of supplier dictionary based on public access judgment and indicating conformity verifying program to supplier

INVENTOR: ITO, S

PATENT-ASSIGNEE: TOSHIBA KK (TOKE), ITO S (ITOSI)

PRIORITY-DATA: 2000JP-0224257 (July 25, 2000)

[Search Selected](#)[Search ALL](#)[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> KR 427882 B	April 28, 2004		000	G06F017/00
<input type="checkbox"/> EP 1176534 A1	January 30, 2002	E	057	G06F017/60
<input type="checkbox"/> US 20020013741 A1	January 31, 2002		000	G06F017/60
<input type="checkbox"/> JP 2002041697 A	February 8, 2002		036	G06F017/60
<input type="checkbox"/> KR 2002009499 A	February 1, 2002		000	G06F017/00

DESIGNATED-STATES: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL
PT RO SE SI TR

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR 427882B	July 25, 2001	2001KR-0044770	
KR 427882B		KR2002009499	Previous Publ.
EP 1176534A1	July 25, 2001	2001EP-0306363	
US20020013741A1	July 24, 2001	2001US-0910848	
JP2002041697A	July 25, 2000	2000JP-0224257	
KR2002009499A	July 25, 2001	2001KR-0044770	

INT-CL (IPC): [G06 F 17/00](#); [G06 F 17/30](#); [G06 F 17/60](#)

ABSTRACTED-PUB-NO: EP 1176534A

BASIC-ABSTRACT:

NOVELTY - The public access of supplier dictionary is judged, based on the application data received from supplier. The charge and license limits of dictionary are determined, when public access is permitted. The charge limit is indicated to supplier along with verification program. The conformity level is verified using the program and accordingly supplier is charged.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (a) Computer system for application processing;
- (b) Recorded medium storing application execution program

USE - For processing access applications of electronic catalog system in computer network, for electric/electronic component design.

ADVANTAGE - Charging is performed according to the conformity level, thereby reliability of catalog system and mutual compatibility between supplier and standard dictionaries are improved.

DESCRIPTION OF DRAWING(S) - The figure shows a flowchart indicating procedure performed in charging level generation server.

ABSTRACTED-PUB-NO: US20020013741A
EQUIVALENT-ABSTRACTS:

NOVELTY - The public access of supplier dictionary is judged, based on the application data received from supplier. The charge and license limits of dictionary are determined, when public access is permitted. The charge limit is indicated to supplier along with verification program. The conformity level is verified using the program and accordingly supplier is charged.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (a) Computer system for application processing;
- (b) Recorded medium storing application execution program

USE - For processing access applications of electronic catalog system in computer network, for electric/electronic component design.

ADVANTAGE - Charging is performed according to the conformity level, thereby reliability of catalog system and mutual compatibility between supplier and standard dictionaries are improved.

DESCRIPTION OF DRAWING(S) - The figure shows a flowchart indicating procedure performed in charging level generation server.

CHOSEN-DRAWING: Dwg.2/32

DERWENT-CLASS: T01
EPI-CODES: T01-N01A2A; T01-N02B1B; T01-S03;

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

End of Result Set

☐ [Generate Collection](#) [Print](#)

L13: Entry 3 of 3

File: JPAB

Sep 13, 2002

A

PUB-NO: JP02002259432A
DOCUMENT-IDENTIFIER: JP 2002259432 A
TITLE: WEB RETRIEVAL SERVICE SYSTEM AND METHOD

PUBN-DATE: September 13, 2002

INVENTOR-INFORMATION:

NAME

COUNTRY

MATSUMOTO, MASANAO

KUMON, YOSHIYUKI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

YAFOO JAPAN CORP

APPL-NO: JP2001052205

APPL-DATE: February 27, 2001

INT-CL (IPC): G06 F 17/30; G06 F 12/00

ABSTRACT:

PROBLEM TO BE SOLVED: To present only the Web retrieval result matching a user terminal when offering Web retrieval service for the user terminal having a particular specification.

SOLUTION: A robot engine part 20 circulatingly sees each Web page on the Internet 12 to collect Web page data. A level determining part 22 refers to a point table 22a, acquires the point of each tag included in each piece of the Web page data or the like to accumulate the point for each page, detects the size of each piece of the Web page data, and determines, depending on them, the conformity level to a portable telephone 16. The text information and conformity level of each piece of the Web page data are recorded in a Web page database 30. If a retrieval request is made from the portable telephone 16, a retrieval processing part 28 retrieves the Web page that corresponds to the retrieval condition and has the conformity level equal to or more than a predetermined level.

COPYRIGHT: (C) 2002, JPO

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)
End of Result Set

☐ [Generate Collection](#) [Print](#)

L13: Entry 3 of 3

File: JPAB

Sep 13, 2002

DOCUMENT-IDENTIFIER: JP 2002259432 A
TITLE: WEB RETRIEVAL SERVICE SYSTEM AND METHOD

Abstract Text (2):

SOLUTION: A robot engine part 20 circulatingly sees each Web page on the Internet 12 to collect Web page data. A level determining part 22 refers to a point table 22a, acquires the point of each tag included in each piece of the Web page data or the like to accumulate the point for each page, detects the size of each piece of the Web page data, and determines, depending on them, the conformity level to a portable telephone 16. The text information and conformity level of each piece of the Web page data are recorded in a Web page database 30. If a retrieval request is made from the portable telephone 16, a retrieval processing part 28 retrieves the Web page that corresponds to the retrieval condition and has the conformity level equal to or more than a predetermined level.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

[First Hit](#) [Fwd Refs](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L13: Entry 2 of 3

File: USPT

Dec 29, 1992

US-PAT-NO: 5175797

DOCUMENT-IDENTIFIER: US 5175797 A

TITLE: Learning type decision support system

DATE-ISSUED: December 29, 1992

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Funabashi; Motohisa	Sagamihara			JP
Nishiya; Takushi	Machida			JP
Oba; Masahiro	Sagamihara			JP
Yoda; Mikio	Tokaimura			JP
Kera; Kazuo	Hitachi			JP
Mori; Kiyomi	Hitachi			JP

US-CL-CURRENT: [706/16](#); [706/52](#), [706/58](#), [706/900](#)

ABSTRACT:

A method and apparatus of a learning type decision support system are provided for improved acquisition of a priori knowledge from the system object and expression of non-linear structures in the object. The system is comprised of a learning module and an executing module for outputting advice and process manipulate command values to system users by receiving input data comprising on-line data and file data. The learning module comprises (1) a symbolized dictionary unit for generating a symbolized dictionary for giving a symbolic name in accordance with a pattern comprised of a combination of the values of the input data by giving examples of a pair of the pattern and the symbolic name; (2) a preprocessing unit for transforming at least a portion of the input data into the symbolic name with reference to the symbolic dictionary generated; and, (3) a model generating unit for determining an unknown parameter contained in a predetermined skeleton model to transform the preprocessed results into desired advice and manipulation command values. The executing module arithmetically processes the input data to output the advice and the manipulation command values by using the symbolized dictionary generated by the learning module and the generated model.

17 Claims, 15 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 13

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#) [Fwd Refs](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L13: Entry 2 of 3

File: USPT

Dec 29, 1992

DOCUMENT-IDENTIFIER: US 5175797 A

TITLE: Learning type decision support system

y

Detailed Description Text (66):

FIG. 9 shows another application example of the system for generating and utilizing the symbolized dictionary provided by the present invention. In this application example, the request for retrieval of the database is not given by designating the items or data ranges as in the prior art but in the form of the data combination (or pattern) example so that data similar to the pattern example can be retrieved. As shown in FIG. 9, the retrieving procedures are to give the data to be retrieved at first as a pattern example (at 901), and then the symbolized dictionary is generated from this example (at 902). For the dictionary generation, the symbolic name corresponding to the teacher's signal is required and may be given as either binary information whether or not it corresponds to the pattern example or the conformity degree information. Finally, the data is inputted from the database to the symbolized dictionary generated, and the input data, in which such neuro elements of the output terminals of the symbolized dictionary, as indicate the correspondence of the pattern, are in the igniting state, are presented as the retrieval result (at 903). As a result, how to request the database for the retrieval can be drastically simplified.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L13: Entry 1 of 3

File: PGPB

May 27, 2004

PGPUB-DOCUMENT-NUMBER: 20040102958
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20040102958 A1

TITLE: Computer-based system and method for generating, classifying, searching, and analyzing standardized text templates and deviations from standardized text templates

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Anderson, Robert IV	Stanford	CA	US	

APPL-NO: 10/ 640460 [PALM]
DATE FILED: August 13, 2003

RELATED-US-APPL-DATA:

A Application is a non-provisional-of-provisional application 60/403319, filed August 14, 2002,

INT-CL: [07] G06 F 17/28

US-CL-PUBLISHED: 704/004

US-CL-CURRENT: 704/4

REPRESENTATIVE-FIGURES: 6

ABSTRACT:

A method for generating, classifying, searching, and analyzing standardized text templates drawn from a plurality of text documents and for identifying standardized text deviations from standardized text templates. Semi-standardized documents may be represented as standardized templates and deviations from standardized templates, with such templates themselves automatically generated by a computer-implemented method from a plurality of similar text documents. The method enables enhanced analysis of semi-standardized documents and automatic extraction of information from standardized text templates.

CROSS-REFERENCE TO RELATED APPLICATION

[0001] The invention is based upon and claims priority to U.S. Provisional Patent Application No. 60/403,319, filed Aug. 14, 2002, entitled "Computer-Based System And Method For Generating, Classifying, Searching, And Analyzing Standardized Text Templates And Deviations From Standardized Text Templates," the content of which is incorporated herein by reference in its entirety.

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print



L13: Entry 1 of 3

File: PGPB

May 27, 2004

DOCUMENT-IDENTIFIER: US 20040102958 A1

TITLE: Computer-based system and method for generating, classifying, searching, and analyzing standardized text templates and deviations from standardized text templates

Summary of Invention Paragraph:

[0014] The Operational Phase may allow the user to analyze a document already in the database or a new document submitted by the user. Upon receiving a user query, this embodiment of the invention may attempt to match each paragraph (or other unit of document partition) of the query document to the standardized templates stored in the database, and the sequence of paragraph templates thus identified (if any) to the standardized sequences of document templates stored in the database. Once matched to standardized templates, this embodiment of the invention may determine the deviations of the subject document from the standard document contained in the template database. In this way, the user may determine the degree of correspondence between a particular document and the standardized text, may conform an input document to a standardized text, and may find other documents based on the same form or forms.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Hit List

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 3 of 3 returned.

☐ 1. Document ID: US 20040102958 A1

Using default format because multiple data bases are involved.

L13: Entry 1 of 3

File: PGPB

May 27, 2004

PGPUB-DOCUMENT-NUMBER: 20040102958

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040102958 A1

TITLE: Computer-based system and method for generating, classifying, searching, and analyzing standardized text templates and deviations from standardized text templates

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Anderson, Robert IV	Stanford	CA	US	

US-CL-CURRENT: 704/4

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 2. Document ID: US 5175797 A

L13: Entry 2 of 3

File: USPT

Dec 29, 1992

US-PAT-NO: 5175797

DOCUMENT-IDENTIFIER: US 5175797 A

TITLE: Learning type decision support system

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 3. Document ID: JP 2002259432 A

L13: Entry 3 of 3

File: JPAB

Sep 13, 2002

PUB-NO: JP02002259432A

DOCUMENT-IDENTIFIER: JP 2002259432 A

TITLE: WEB RETRIEVAL SERVICE SYSTEM AND METHOD

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	---------

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Terms	Documents
database\$ same ((level or degree) with conform\$ with (dictiona\$ or text\$))	3

Display Format: [Change Format](#)[Previous Page](#)[Next Page](#)[Go to Doc#](#)

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)[Generate Collection](#)[Print](#)

L13: Entry 1 of 3

File: PGPB

May 27, 2004

DOCUMENT-IDENTIFIER: US 20040102958 A1

TITLE: Computer-based system and method for generating, classifying, searching, and analyzing standardized text templates and deviations from standardized text templates

Summary of Invention Paragraph:

[0014] The Operational Phase may allow the user to analyze a document already in the database or a new document submitted by the user. Upon receiving a user query, this embodiment of the invention may attempt to match each paragraph (or other unit of document partition) of the query document to the standardized templates stored in the database, and the sequence of paragraph templates thus identified (if any) to the standardized sequences of document templates stored in the database. Once matched to standardized templates, this embodiment of the invention may determine the deviations of the subject document from the standard document contained in the template database. In this way, the user may determine the degree of correspondence between a particular document and the standardized text, may conform an input document to a standardized text, and may find other documents based on the same form or forms.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

End of Result Set



Generate Collection

Print

Y

L6: Entry 1 of 1

File: JPAB

Jun 23, 1995

PUB-NO: JP407160713A

DOCUMENT-IDENTIFIER: JP 07160713 A

TITLE: DOCUMENT CONVERTER

PUBN-DATE: June 23, 1995

INVENTOR-INFORMATION:

NAME

COUNTRY

TEIMOSHII, KOONITSUSHIYU

NUMATA, NAOMI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

MATSUSHITA ELECTRIC IND CO LTD

APPL-NO: JP05312104

APPL-DATE: December 13, 1993

INT-CL (IPC): G06 F 17/27; G06 F 17/21; G06 F 17/28

ABSTRACT:

PURPOSE: To operate the style of an English document to improve the quality of the English document by standardizing or converting the English document to German or Romance expression.

CONSTITUTION: When a user designates the manner of German expression or Romance expression by a document level designating part 13 for designation of the style of the document, an expression dictionary 12 is used to retrieve the English document, which is stored in a document memory 11, by a document level retrieval part 14, and parts not conforming to the manner of expression designated by the user are converted by an expression conversion part 15.

COPYRIGHT: (C)1995, JPO

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

End of Result Set

☐ [Generate Collection](#) [Print](#)

L2: Entry 3 of 3

File: DWPI

Apr 28, 2004

DERWENT-ACC-NO: 2002-173157

DERWENT-WEEK: 200455

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Application processing method for electronic catalog system, involves determining charge and license limits of supplier dictionary based on public access judgment and indicating conformity verifying program to supplier

INVENTOR: ITO, S

PATENT-ASSIGNEE: TOSHIBA KK (TOKE), ITO S (ITOSI)

PRIORITY-DATA: 2000JP-0224257 (July 25, 2000)

[Search Selected](#)[Search ALL](#)[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> KR 427882 B	April 28, 2004		000	G06F017/00
<input type="checkbox"/> EP 1176534 A1	January 30, 2002	E	057	G06F017/60
<input type="checkbox"/> US 20020013741 A1	January 31, 2002		000	G06F017/60
<input type="checkbox"/> JP 2002041697 A	February 8, 2002		036	G06F017/60
<input type="checkbox"/> KR 2002009499 A	February 1, 2002		000	G06F017/00

DESIGNATED-STATES: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL
PT RO SE SI TR

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
KR 427882B	July 25, 2001	2001KR-0044770	
KR 427882B		KR2002009499	Previous Publ.
EP 1176534A1	July 25, 2001	2001EP-0306363	
US20020013741A1	July 24, 2001	2001US-0910848	
JP2002041697A	July 25, 2000	2000JP-0224257	
KR2002009499A	July 25, 2001	2001KR-0044770	

INT-CL (IPC): [G06 F 17/00](#); [G06 F 17/30](#); [G06 F 17/60](#)

ABSTRACTED-PUB-NO: EP 1176534A

BASIC-ABSTRACT:

NOVELTY - The public access of supplier dictionary is judged, based on the application data received from supplier. The charge and license limits of dictionary are determined, when public access is permitted. The charge limit is indicated to supplier along with verification program. The conformity level is verified using the program and accordingly supplier is charged.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (a) Computer system for application processing;
- (b) Recorded medium storing application execution program

USE - For processing access applications of electronic catalog system in computer network, for electric/electronic component design.

ADVANTAGE - Charging is performed according to the conformity level, thereby reliability of catalog system and mutual compatibility between supplier and standard dictionaries are improved.

DESCRIPTION OF DRAWING(S) - The figure shows a flowchart indicating procedure performed in charging level generation server.

ABSTRACTED-PUB-NO: US20020013741A

EQUIVALENT-ABSTRACTS:

NOVELTY - The public access of supplier dictionary is judged, based on the application data received from supplier. The charge and license limits of dictionary are determined, when public access is permitted. The charge limit is indicated to supplier along with verification program. The conformity level is verified using the program and accordingly supplier is charged.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- (a) Computer system for application processing;
- (b) Recorded medium storing application execution program

USE - For processing access applications of electronic catalog system in computer network, for electric/electronic component design.

ADVANTAGE - Charging is performed according to the conformity level, thereby reliability of catalog system and mutual compatibility between supplier and standard dictionaries are improved.

DESCRIPTION OF DRAWING(S) - The figure shows a flowchart indicating procedure performed in charging level generation server.

CHOSEN-DRAWING: Dwg.2/32

DERWENT-CLASS: T01

EPI-CODES: T01-N01A2A; T01-N02B1B; T01-S03;

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L2: Entry 1 of 3

File: PGPB

Jan 31, 2002

PGPUB-DOCUMENT-NUMBER: 20020013741

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020013741 A1

TITLE: Method and apparatus for accepting and processing an application for conformity of a user dictionary to a standard dictionary

PUBLICATION-DATE: January 31, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Ito, Satoshi	Tokyo		JP	

APPL-NO: 09/ 910848 [PALM]

DATE FILED: July 24, 2001

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	DOC-ID	APPL-DATE
JP	2000-224257	2000JP-2000-224257	July 25, 2000

INT-CL: [07] G06 F 17/60

US-CL-PUBLISHED: 705/26

US-CL-CURRENT: 705/26

REPRESENTATIVE-FIGURES: 1

ABSTRACT:

There is disclosed an electronic catalog system in which application data concerning use is received from a user who desires to utilize electronic catalog information using a standard dictionary, internal utilization or opening to the outside of the standard supplier by the user is judged, and for the internal utilization, the standard dictionary and a program for verifying a conformity level are distributed free of charge. If the user desires the opening to the outside including an information providing service, a charged amount is transmitted to the user from charging level data based on the application data, a supplier code is issued after agreement with the user, and the standard dictionary is transmitted together with the program for verifying the desired conformity level.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)
End of Result Set

A

☐ [Generate Collection](#) [Print](#)

L11: Entry 2 of 2

File: PGPB

Dec 11, 2003

PGPUB-DOCUMENT-NUMBER: 20030229595
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030229595 A1

TITLE: Charging of network access and services

PUBLICATION-DATE: December 11, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Mononen, Risto	Espoo		FI	
Lahteenmaki, Mia	Helsinki		FI	
Rasanen, Eero	Tampere		FI	
Suomela, Riku	Tempere		FI	

APPL-NO: 10/ 161712 [PALM]
DATE FILED: June 5, 2002

A

INT-CL: [07] G06 F 17/60

US-CL-PUBLISHED: 705/63
US-CL-CURRENT: 705/63

REPRESENTATIVE-FIGURES: 6

ABSTRACT:

A technique for charging of network access and/or services includes sending a request for least one of network access or services from the user to a network other than the user's home network. A payment request is sent from the network to the user in response to the user's request for the least one of network access and/or services, and a payment information is sent from the user in response to the network's sent payment request. A receipt of a payment is then sent to the user and/or the network in response to the sent user's payment information and a payment confirmation may then be sent from the user to the network in response to the third party wallet's receipt of the payment. The network provides the requested at least one of the network access and/or service to the user upon receiving the payment confirmation of the corresponding at least one of the network access and/or service.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

First HitPrevious DocNext DocGo to Doc#

A



Generate Collection

Print

L11: Entry 1 of 2

File: PGPB

May 27, 2004

PGPUB-DOCUMENT-NUMBER: 20040102958

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040102958 A1

TITLE: Computer-based system and method for generating, classifying, searching, and analyzing standardized text templates and deviations from standardized text templates

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Anderson, Robert IV	Stanford	CA	US	

APPL-NO: 10/ 640460 [PALM]

DATE FILED: August 13, 2003

RELATED-US-APPL-DATA:

Application is a non-provisional-of-provisional application 60/403319, filed August 14, 2002,

A INT-CL: [07] G06 F 17/28

US-CL-PUBLISHED: 704/004

US-CL-CURRENT: 704/4

REPRESENTATIVE-FIGURES: 6

ABSTRACT:

A method for generating, classifying, searching, and analyzing standardized text templates drawn from a plurality of text documents and for identifying standardized text deviations from standardized text templates. Semi-standardized documents may be represented as standardized templates and deviations from standardized templates, with such templates themselves automatically generated by a computer-implemented method from a plurality of similar text documents. The method enables enhanced analysis of semi-standardized documents and automatic extraction of information from standardized text templates.

CROSS-REFERENCE TO RELATED APPLICATION

[0001] The invention is based upon and claims priority to U.S. Provisional Patent Application No. 60/403,319, filed Aug. 14, 2002, entitled "Computer-Based System And Method For Generating, Classifying, Searching, And Analyzing Standardized Text Templates And Deviations From Standardized Text Templates," the content of which is incorporated herein by reference in its entirety.

Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 20040102958 A1

Using default format because multiple data bases are involved.

L11: Entry 1 of 2

File: PGPB

May 27, 2004

PGPUB-DOCUMENT-NUMBER: 20040102958

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040102958 A1

TITLE: Computer-based system and method for generating, classifying, searching, and analyzing standardized text templates and deviations from standardized text templates

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Anderson, Robert IV	Stanford	CA	US	

US-CL-CURRENT: 704/4

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

☐ 2. Document ID: US 20030229595 A1

L11: Entry 2 of 2

File: PGPB

Dec 11, 2003

PGPUB-DOCUMENT-NUMBER: 20030229595

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030229595 A1

TITLE: Charging of network access and services

PUBLICATION-DATE: December 11, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Mononen, Risto	Espoo		FI	
Lahteenmaki, Mia	Helsinki		FI	
Rasanen, Eero	Tampere		FI	
Suomela, Riku	Tempere		FI	

Hit List

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 20010014868 A1

Using default format because multiple data bases are involved.

L12: Entry 1 of 2

File: PGPB

A
Aug 16, 2001

PGPUB-DOCUMENT-NUMBER: 20010014868

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20010014868 A1

TITLE: SYSTEM FOR THE AUTOMATIC DETERMINATION OF CUSTOMIZED PRICES AND PROMOTIONS

PUBLICATION-DATE: August 16, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
HERZ, FREDERICK	WARRINGTON	PA	US	
EISNER, JASON	PHILADELPHIA	PA	US	
UNGER, LYLE	PHILADELPHIA	PA	US	
LABYS, WALTER PAUL	PHILADELPHIA	PA	US	
ROEMMELE, BERNIE	QUACKERTOWN	PA	US	
HAYWARD, JON	DOYLESTOWN	PA	US	

US-CL-CURRENT: 705/14; 705/10, 705/26

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 2. Document ID: US 2539366 A

L12: Entry 2 of 2

File: USOC

Jan 23, 1951

US-PAT-NO: 2539366

DOCUMENT-IDENTIFIER: US 2539366 A

TITLE: Treatment of wool-containing textile materials

DATE-ISSUED: January 23, 1951

INVENTOR-NAME: FLUCK JR LINTON A; LYNN JOHN E ; MCPHEE ELEANOR L

US-CL-CURRENT: 8/115.6, 8/127.6

Full	Title	Citation	Front	Review	Classification	Date	Reference	Set	File	Claims	KMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----	------	--------	-----	----------

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Terms

Documents

catalog\$ and (degree\$ with (mak\$ with similar\$ with text\$))

2

Display Format:

-

[Change Format](#)[Previous Page](#)[Next Page](#)[Go to Doc#](#)